

STAR SOLID SURFACE

DNSM





Where Durability Meets High Design.

Star 100% Acrylic Solid Surface is more than just a material; it's the canvas for your imagination. Designed for those who refuse to compromise between high-end aesthetics and everyday functionality, Star Solid Surface allows you to craft bespoke environments that reflect your unique signature style.

Built for Life, Not Just Looks from the heat of a busy kitchen to the moisture of a luxury spa, our surfaces are engineered to thrive in intense conditions. Non-porous and incredibly resilient, Star Solid Surface stays pristine with minimal effort. Even after years of use, the surface can be easily renewed to its original luster—bringing out its natural beauty time and time again.

Peace of Mind, Backed by a 10-year limited warranty.



Solid Colors



DS 201
Milky White




DS 202
Egg White



DS 203
Ivory Vanilla



DS 204
Black



DS 205
Valley Grey



DS 206
Green



DS 207
Mandarin



DS 208
Sandy Yellow



Ds 209
Red



DS 210
White Ice

Mist Colors




DS 301
Beige Sands



DS 302
Milky Sands



DS 303
Salt & Pepper



DS 304
Night sky




DS 305
Aurora



DS 306
Sand Rock



DS 307
Brown Sands



DS 308
Sand Shadow




DS 309
Sparkle White




DS 310
Sparkle Black

Chips Colors



DS 401
White Titan



DS 402
Star Birch




DS 403
Rice Mist



DS 404
White Sahara



DS 405
Everest




DS 406
Mediterranean




DS 407
Concrete Grey


Vein Colors




DS 501
Snow




DS 502
Bianco Auro



DS 503
Torano



DS 504
Cosmic White



DS 505
Carrara White

Star solid surface sinks are a great addition to your kitchen remodeling plans. They also look elegant in bathrooms when paired with matching vanity tops. Star solid surface sinks and vanity tops are easy to clean and maintain, and with proper care, they continue to look fresh and new for years. These sinks are highly durable, and most minor scratches can be easily buffed out. Even major damage can usually be repaired by a skilled installer. If you are looking for an attractive, long-lasting, and reliable sink and countertop option, Star solid surface is the right choice for your home.



RLD202 – Double Equal

Inside : L 723 x W 410 x D 236 mm

Outside : L 790 x W 478 x D 245 mm



RLD 203 – Double Offset

Inside : L 819 x W 399 x D 192 mm

Outside : L 883 x W 460 x D 210 mm



RLA 114 – Rectangle Vanity

Inside : L 400 x W 340 x D 170 mm

Outside : L 450 x W 390 x D 190 mm



RLA 106A– Oval Vanity with integrated overflow

Inside : L 375 x W 270 x D 139 mm

Outside : L 425 x W 320 x D 172 mm



RLA104A– Oval Vanity integrated overflow

Inside : L 409 x W 329 x D 130 mm

Outside : L 465 x W 385 x D 187 mm



RLA100– Oval Vanity

Inside : L 420 x W 332 x D 140 mm

Outside : L 470 x W 382 x D 160 mm



RLA309– Circle Vanity

Inside : L 371 x W 371 x D 140 mm

Outside : L 395 x W 395 x D 160 mm

STAR SOLID SURFACE ADVANTAGES

Choosing our Star solid surface materials for your kitchen or bathroom vanity tops offers a wealth of premium benefits, including:

Seamless Aesthetics: Enjoy a flawless finish with virtually invisible seams.

Cost-Effective Quality: A more affordable alternative to other solid vanity top products without sacrificing style.

Vibrant Variety: Available in an extensive range of colors to match any design.

Hygienic Surface: Built-in resistance to fungus, mold, and bacteria.

Universal Compatibility: Works with any sink type, including integrated, seamless sinks made from the same color-matched material.

Simple Restoration: Minor damage can be repaired locally without replacing the entire top.

Enduring Beauty: Surfaces can be buffed and renewed to look as pristine as the day they were installed.



Technical Data



PROPERTY	RESULT	TEST METHOD
Tensile Strength	6500psi	ASTM D-638
Tensile Modulus	1.4 x10 ⁶ psi	A5TM 0-638
Flexural Strength	10000 psi	ASTM D 790
Flexural Elastic Modulus	1.30 x 10 ⁵	ASTM D 790
Density (Specific Gravity Solid colors)	1.74 g/cm ³	ASTM D 792-13
Density (Specific Gravity other colors)	1.69 g/cm ³	ASTM D 792-13
Hardness Test	92 Rockell M scale	ASTM D 785
Hardness Test	63 Barcol Impressor	ASTM D 2583
Thermal expansion Coef. (°C)	3.5 x10 ⁻⁵	ASTM D 696
Thermal resistance	No change	NEMA LD-3
Radiant heat resistance	No Visual effect	
Wear & Cleanability	Pass	ANSI Z 124.3
Stain Resistance	pass rating 41	ANSI Z 124
Fungi and Bacteria	No Growth	ASTM G21
Boiling Water Resistance	no change	NEMA LD-3
Lzod Impact Strength	.26 ft-lbs/in of notch	A5TM D 256
Water absorption coef.	0.03% (24hrs) 1/2" Sheets	ASTM D 570
Color Stability	No-change - 200 hours	NEMA LD-3
Flammability	Class 1	UBC 8-1
- Flame Spread	0-25	ASTM E 84
- Smoke Density	<25	ASTM E 84
Pencil hardness (HRM)	92	KSD 6711
Ball Drop	> 125" 1/2 lb steel ball	NEMA LD-3
Elongation	0.73%	ASTM D 638
Weatherability	No change 1000 hours	ASTM D 1499
Gloss (60 gardener)		NEMA LD-3
Food Zone acceptability	Accepted / Listed	NSF 51

Available Sheet Dimensions: 2500mm(L) x 760mm (W) x 6mm & 3680mm(L) x 760mm (W) x 12mm

DNSM

DUBAI NATIONAL SAW MILL (L.L.C)

P.O. BOX: 115605, Dubai - UAE.

Tel: +971 4 333 5513

E-mail: dnsm@dnsmllc.com, Website: www.dnsmllc.com